

Fascinating display cabinets for your privileged products













- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

STANDARD FEATURES: - DISPLAY CABINATE.

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Havells Make LED Lighting.
- Aluminium Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminium Sliding System.





STANDARD FEATURES: UP RIGHT COUNTER and FRONT OPEN DISPLAY

- Commercial Heavy Duty Stainless Steel Welded Frame Construction
- AISI 304 Stainless Steel Mirror finish Exterior
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Rear Italian Aluminium Sliding System
- Havells Make LED Lighting
- Aluminium Light Canopy With Polycarbonate Diffuser
- Ventilated Refrigeration System.
- Heavy Nylon Leg Bush (or) Wheel.
- Lift-Up Tempered Front Glass With Shower Hinges.





- Side Glass With Ceramic Printing.
- Electronic Control Panel With Digital Thermometer And Thermostat
- Perfect Product Visibility All Over The Sides.
- defrosting system by time and temperature automatically
- Power Supply 230v/ single phase / 50HZ.
- Condensing unit for operation up to +43°C ambient, low noise danfoss compressor.





- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

STANDARD FEATURES: - DISPLAY CABINATE.

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Havells Make LED Lighting.
- Aluminuim Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminuim Sliding System.





STANDARD FEATURES: TILD FORWARD DISPLAY

- Commercial Heavy Duty Stainless Steel Welded Frame Construction
- AISI 304 Stainless Steel Mirror finish Exterior
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Rear Italian Aluminium Sliding System
- Havells Make LED Lighting
- Ventilated Refrigeration System.





- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.
- Heavy Nylon Leg Bush (or) Wheel.
- TILT- Forward front Tempered Glass With Italian make aluminium section.
- Rack Glass With SS Mirror Finish Stopper
- Side Glass With Ceramic Printing.
- Electronic Control Panel With Digital Thermometer And Thermostat
- Perfect Product Visibility All Over The Sides.
- Power Supply 230v/ single phase / 50HZ.









STANDARD FEATURES: SAVOURIES COUNTER

- Commercial Heavy Duty Stainless Steel Welded Frame Construction
- AISI 304 Stainless Steel Interior And Exterior
- Choice Of vitrified (or) Jet Black Granite For Display Top.
- Heavy duty sliding system assembly for each drawers.
- Side Glass With Ceramic Printing.
- Perfect Product Visibility All Over The Sides
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Heavy Nylon Leg Bush (or) Wheel
- Havells Make LED Lighting
- Power Supply 230v/ single phase / 50HZ



SAVOURIES COUNTER - Back View



















STANDARD FEATURES: ICE CREAM DISPLAY / COLD STONE.

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Choice Of Stainless Steel Finish (or) Corian Finish[LG make].
- Traditional Static Refrigeration System With High Efficiency.
- Rear Polycarbonate 8mm Thickness Sliding System.
- Inclined Display Of ICE CREAM.
- Front Glass And Side Glass Using Tempered HD Digital Printing Glasses.
- Havells Make LED Lightings.
- Heavy Nylon Leg Bush (or) Wheel.
- Electronic Control Panel With Digital Thermometer And Thermostat.

- Front , Side , And Work Top Panels are using high quality corian [LG] materials.
- Designed For 1/4 x 6" Deep SS 304 GN Pans- 4 Litres capacity .
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.











STANDARD FEATURES: SALADS BAR

- Commercial Heavy Duty Stainless Steel Welded Frame Construction
- Traditional Static Refrigeration System With High Efficiency.
- Front and side panels are American wall nut wood finish
- Multipurpose potential clear view display for active merchandise solution.
- Ideal option for hyper market, restaurant and fast foods
- Digital Controller -Precisely Control And Display The Temperature Or Food As Per User Requirement.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.
- Power Supply 230v/Single phase/50 Hz





STANDARD FEATURES: CHAAT COUNTER

- AISI 304 Stainless Steel Mirror finish Exterior
- Choice Of Stainless Steel Finish (or) Corian Finish [LG make].
- Multi purpose potential clear view display for active merchandise solution
- Ideal option for hyper market, restaurant and fast foods
- Side Glass With Ceramic Printing.
- Power Supply 230v/Single phase/50 Hz









STANDARD FEATURES: REACH INN / UNDER COUNTER

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Digital Controller -Precisely Control And Display The Temperature Of Food As Per User Requirement.
- Removable Gasket For Cleaning And Replacement.
- Openable And Spring Loaded Self Closing Door.
- Adjustable Bullet Feet Range 100 150mm.
- The Height Of The Shelves Is Adjustable As Per The Size Of Stored Product.
- 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption
- Castor With Brake (Optional).
- Defrosting System By Time And Temperature Automatically.
- Static Refrigeration System.
- Power Supply 230v/Single phase/50 HZ.





- STAINLESS STEEL shelves, adjustable height and easy removal
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.









STANDARD FEATURES: REACH INN / UNDER COUNTER VISI COOLER

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Digital Controller -Precisely Control And Display The Temperature Or Food As Per User Requirement.
- Removable Gasket For Cleaning And Replacement.
- Adjustable Bullet Feet Range 100 150mm.
- The Height Of The Shelves Is Adjustable As Per The Size Of Stored Product.
- PLASTIC coated wire shelves, adjustable height and easy removal.
- Door with double glazing glass.





- Openable And Spring Loaded Self Closing Door.
- 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption
- Castor With Brake (Optional).
- Defrosting System By Time And Temperature Automatically.
- Static Refrigeration System.
- Power Supply 230v/Single phase/50 HZ.













STANDARD FEATURES: REACH INN

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Digital Controller -Precisely Control And Display The Temperature Of Food As Per User Requirement.
- Removable Gasket For Cleaning And Replacement.
- Openable And Spring Loaded Self Closing Door.
- Adjustable Bullet Feet Range 100 150mm.
- The Height Of The Shelves Is Adjustable As Per The Size Of Stored Product.
- 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption

EB019



- Defrosting System By Time And Temperature Automatically.
- Static Refrigeration System.
- Power Supply 230v/Single phase/50 HZ.
- STAINLESS STEEL shelves, adjustable height and easy removal
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.





















Pizza Counter

































TECHNICAL SPECIFICATION

TECHNICAL SPECIFIC	J, 11 . O 1 V					
MODEL	CAPACITY IN LITERS	DIMENSION LXWXH IN INCHES	TEMPERATURE RANGE	POWER IN WATTS	NO OF SHELVES OR GN PANS	BULLET FEE OR WHEELS
REACH INN CHILLER[C]/ FREEZER[F] REACH INN CHILLER[C]/ FREEZER[F] REACH INN CHILLER[C]/ FREEZER[F]	300 Ltrs (C)	25" x 28" x 74"	0°c To -5°c	325	5	STANDARD BULLET FEET(S.S) & WHEEL OPTIONAL
	300 Ltrs (F)	25" x 28" x 74"	-10°c To -15°c	325	5	
	500 Ltrs (C)	27" x 30" x 80"	0°c To -5°c	325	5	
	500 Ltrs (F)	27" x 30" x 80"	-10°c To -15°c	325	5	
	700 Ltrs (C)	44" x 28" x 80"	0°c To -5°c	485	5	
	700 Ltrs (F)	44" x 28" x 80"	-10°c To -15°c	485	5	
REACH INN	1000 Ltrs (C)	54" x 30" x 80"	0°c To -5°c	580	5	
CHILLER[C]/ FREEZER[F]	1000 Ltrs (F)	54" x 30" x 80"	-10°c To -15°c	580	5	
WORK TOP UNDER COUNTER CHILLER[C]/FREEZER[F] WORK TOP UNDER COUNTER CHILLER[C]/FREEZER[F]	300 Ltrs (C)	60" x 28" x 35"	0°c To -5°c	325	2	
	300 Ltrs (F)	60" x 28" x 35"	-10°c To -18°c	325	2	
	400 Ltrs (C)	72" x 28" x 35"	0°c To -5°c	485	2	
	400 Ltrs (F)	72" x 28" x 35"	-10°c To -18°c	485	2	
REACH INN VISI COOLER & WORK TOP VISI COOLER	300 Ltrs	25" x 28" x 80"	+4°c To +8°c	325	5	
	500 Ltrs	27" x 30" x 80"	+4°c To +8°c	325	5	
	700 Ltrs	44" x 28" x 80"	+4°c To +8°c	485	5	
	1000 Ltrs	54" x 30" x 80"	+4°c To +8°c	580	5	
	300 Ltrs (WT)	60" x 28" x 35"	+4°c To +8°c	325	2	
	400 Ltrs (WT)	72" x 28" x 35"	+4°c To +8°c	485	2	

^{*}Specification subject to change due to continuous product development



TECHNICAL SPECIFICATION

		CAPACITY	DIMENSION	TEMPERATURE	POWER	NO OF SHELVES OR GN	BULLET FEE
		IN LITERS	LXWXH	RANGE	IN WATTS	PANS	OR WHEELS
			IN INCHES				
DISPLAY CABINATE	3C		36" x 26" x 46"	+4°c To +8°c	990	STANDARD THREE SHELVES 2 or 4 OPTIONAL	OPTIONAL
	3H		36" x 26" x 46"	65°c To 75°c	830		
	3A		36" x 26" x 46"	-	50		
	4C		48" x 26" x 46"	+4°c To +8°c	1046		
	4H		48" x 26" x 46"	65°c To 75°c	1116		
	4A		48" x 26" x 46"	-	86		
	5C		60" x 26" x 46"	+4°c To +8°c	1060		
	5H		60" x 26" x 46"	65°c To 75°c	1660		
	5A		60" x 26" x 46"	-	100		
	6C		72" x 26" x 46"	+4°c To +8°c	1326		
	6H		72" x 26" x 46"	65°c To 75°c	1696		
	6A		72" x 26" x 46"	-	136		
ICE CREAM DISPLAY	12					GN PAN	
	FLV	50 Liters	48" x 30" x 46"	-18°c To -23°c	722	1/4 x 150 MM DEEP-12 No's	WHEEL
	16					GN PAN	
	FLV	70 Liters	60" x 34" x 46"	-18°c To -23°c	1117	1/4 x 150 MM DEEP-16 No's	WHEEL
WATER		80 Ltrs	27" x 25" x 60"	+8°c	1180		OPTIONAL
COOLER							
		120 Ltrs	27" x 25" x 60"	+8°c	1180		OPTIONAL
COLD STONE				-30°c (F)		GN PAN	
	4C	180 Ltrs	48" x 35" x 46"	- 5°c (C)	1378	1/4 x 150 MM DEEP- 1 No	WHEEL
				75°c (H)		1/6 x 100 MM DEEP- 9 No's	
PUFFS			25" x 25" x 51"	80°c To 100°c	1550	5	WHEEL
HEATER							

^{*}Specification subject to change due to continuous product development















No. 17, SIDCO Industrial Estate, Tiruverumbur, Trichy 620014, Tamilnadu, INDIA

Ph: +91 431 2552738 Mob: +91 98424 11922, +91 98650 17051

Web: www.ellorabakeryequipments.com

Email: ellora.bak.equ@gmail.com

